

Work Order ID 62023

Wednesday, September 15, 2010 10:02:28 A



Page 1

Item ID: D3531-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Bracket Assembly

Start Date: 9/14/2010 Start Qty: ~~4.00~~ ⁵



Cust Item ID:

Required Date: 9/21/2010 Req'd Qty: 4.00

Customer:

Reference:

Approvals: Process Plan: H Date: 10-9-15 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3531	Rev A								

100
 Small Fab 0.00
Small Fab Memo 0.00
Small Fab Assemble as per dwg D3531

9/10/09/27 (5)

110
 QC5- Inspect part completeness to step on W/O 0.00
QC Memo 0.00
Quality Control

8/10/01/27

(X)

120
 Black Sandtex(Ref:4.3.5.7) per OSI005 4.3 0.00
Powdercoat Memo 0.00
Powder Coating

10-9-29

(5) ϕ

START TIME: 10:35 ☐ OVEN TEMPERATURE:
320 ☐ FINISH TIME: 11:05

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 62023

Wednesday, September 15, 2010 10:02:28 A

Page 2

Item ID: D3531-041

Accept

Revision ID:

Item Name: Bracket Assembly

Start Date: 9/14/2010 Start Qty: 4.00

Required Date: 9/21/2010 Req'd Qty: 4.00

Reference:

Cust Item ID:

Customer:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC3- Inspect Part Finish

0.00

⇒ M 10/09/29

XS

Ø



QC

Memo

0.00

Quality Control

140

Identify as per dwg & Stock Location: 181

0.00



Packaging

Memo

0.00

Packaging

10/9/29

150

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/09/30
MF 10-9-29

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, September 15, 2010 10:02:32 AM

Page 1

Work Order ID: 62023

Parent Item: D3531-041

Parent Item Name: Bracket Assembly




Start Date: 9/14/2010

Required Date: 9/21/2010

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A New Issue 07-09-24 EC verified DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3531-1  Bracket		Manufactured	No			100	Each	8.0000	1	4			
<div> <div>Location</div> <div>st238</div> </div> <div> <div>Loc Qty</div> <div>8</div> </div> <div> <div>Loc Code</div> <div></div> </div>													
D3531-3  Bracket Front Plate		Manufactured	No		53912	100	Each	3.0000	1	4			
<div> <div>Location</div> <div>ST068</div> </div> <div> <div>Loc Qty</div> <div>3</div> </div> <div> <div>Loc Code</div> <div></div> </div>													
MS20470AD4-4  Rivet, Universal Head		Purchased	No		50214	100	Each	3,758.000	12	48			
<div> <div>Location</div> <div>ST319</div> </div> <div> <div>Loc Qty</div> <div>3758</div> </div> <div> <div>Loc Code</div> <div></div> </div>													
<div> <div>Location</div> <div>112314</div> </div> <div> <div>Loc Qty</div> <div>30</div> </div> <div> <div>Loc Code</div> <div></div> </div>													
<div> <div>Location</div> <div>113368</div> </div> <div> <div>Loc Qty</div> <div>92</div> </div> <div> <div>Loc Code</div> <div></div> </div>													
<div> <div>Location</div> <div>115470</div> </div> <div> <div>Loc Qty</div> <div>3636</div> </div> <div> <div>Loc Code</div> <div></div> </div>													

5 SN 10/09/24

5 SN 10/09/24

56 SN 10/09/24

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN CB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED LE	APPROVED [Signature]	DRAWING NO. D3531	REV. A SHEET 1 OF 3
DATE 07.06.19	TITLE BRACKET ASSEMBLY		SCALE 1:2
REV A	DATE 07.06.19	DESCRIPTION NEW ISSUE	



RELEASED
07.08.03



D3531-3
BRACKET FRONT PLATE

D3531-1
BRACKET



STOP COPY
RELIEF TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO A 12 MONTH
WITHIN 12 MONTHS
W. 12 MONTHS
NO. **42023**
BS0915

MS20470AD4-4
(10 PLACES)



D3531-041 BRACKET ASSEMBLY

NOTES:

- 1) FINISH: POWDER COAT ASSEMBLY BLACK
SANDTEX (4.3.5.7) PER DART QSI 005 4.3
ALL PARTS
- 2) ASSEMBLE PER DART QSI 003
- 3) IDENTIFY WITH DART P/N "D3531-041" USING
WHITE MARKER ON INSIDE OF BRACKET
ASSEMBLY, WHERE INDICATED
- 4) TRANSFER DRILL HOLES FROM D3531-1 BRACKET
THROUGH D3531-3 BRACKET FRONT PLATE
BEFORE FINISHING

PARTS LIST

QTY.	P/N	DESCRIPTION
X	D3531-041	BRACKET ASSEMBLY
1	D3531-1	BRACKET
1	D3531-3	BRACKET FRONT PLATE
12	MS20470AD4-4	RIVET

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED
OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____




Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART

DESIGN CB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CE	APPROVED [Signature]	DRAWING NO. D3531	REV. A SHEET 2 OF 3
DATE 07.06.19	TITLE BRACKET ASSEMBLY		SCALE 1:2

**RELEASED**
07-08-03**D3531-1F FLAT PATTERN****D3531-1 BRACKET****NOTES:**

- 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) PART IS SYMMETRIC ABOUT ϕ

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries





DESIGN CB	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CE	APPROVED [Signature]	DRAWING NO. D3531	REV. A SHEET 3 OF 3
DATE 07.06.19	TITLE BRACKET ASSEMBLY		SCALE 1:2



RELEASED
07.08.03



D3531-3F FLAT PATTERN



D3531-3 BRACKET FRONT PLATE

NOTES:

- 1) MATERIAL: ALUMINUM 6061-T6/T62 SHEET, 0.040 THICK PER QQ-A-250/11 OR AMS 4025 OR AMS 4027 (REF DART SPEC M6061T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) PART IS SYMMETRIC ABOUT ϕ

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries